



PH 03 000 189  
USA



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ




I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed 

Dated: 31 July 2001

**This Page Blank (uspto)**

**Request for grant of a patent**

(See notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

THE PATENT OFFICE  
27 DEC A  
27 DEC 2000  
NEWPORT

27 DEC 2000

The Patent Office  
Cardiff Road  
Newport  
Gwent NP9 1RH

1. Your reference

PHGB000189

2. Patent application number

(The Patent Office will fill in this part)

0031617.4

3. Full name, address and postcode of the or of each applicant (underline all surnames)

KONINKLIJKE PHILIPS ELECTRONICS N.V.  
GROENEWOUDSEWEG 1  
5621 BA EINDHOVEN  
THE NETHERLANDS

Patents ADP Number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

THE NETHERLANDS

67419296001

4. Title of the invention

A METHOD OF PROVIDING A DISPLAY FOR A GRAPHICAL USER INTERFACE

5. Name of your agent (if you have one)  
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Andrew G. White  
Philips Corporate Intellectual Property  
Cross Oak Lane  
Redhill  
Surrey RH1 5HA

Patents ADP number (if you know it)

07655663001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority Application number  
(if you know it)

Date of filing  
(day/month/year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day/month/year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer "Yes" if:

YES


- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

# Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.

Continuation sheets of this form

Description	4
Claims(s)	2
Abstract	1
Drawings	2



10. If you are also filing any of the following, state how many against each item:

Priority Documents

- Translations of priority documents
- Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)
- Request for preliminary examination and search (*Patents Form 9/77*)
- Request for substantive examination (*Patents Form 10/77*)
- Any other documents (*Please specify*)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date 22 | 12 | 00

12. Name and daytime telephone number of person to contact in the United Kingdom

01293 815299

(D.I. Marden)

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered "Yes" Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and...

## DESCRIPTION

**A METHOD OF PROVIDING A DISPLAY FOR  
A GRAPHICAL USER INTERFACE**

5

This invention relates to a method of providing a display for a graphical user interface (GUI) and to a computer program, a computer-readable storage medium and apparatus for the same. In particular, the invention relates to providing a display for a GUI in which an enlargement of a subject image is displayed in response to a user selecting a point on that subject image.

10

Using a computer, a display and a user input device, it is known to display an image such as a map wherein a user selecting a point on that image causes an enlargement of that image to be displayed, centred about that point selected by the user. It is further known to repeat this process whereby the user selecting a point on a previous enlargement causes a further enlargement to be displayed.

15

The user input device may be a touch sensitive display and where this is the case, a point may be selected by a user touching the display. However, the "foot print" of a user's finger is often so big in relation to the image as to cause ambiguity in the point selected by the user. That is, the point intended to be selected by the user is not the precise point identified by the computer. For merely viewing an image using the efficient enlargement technique described above, this ambiguity would typically not be significant. However, where a point is being selected for identifying a specific position on an image, for example, to select one of two points A and B on the image to provide a distance calculation between points A and B, this ambiguity can be significant. Furthermore, the significance of such ambiguity varies depending on the requirements of the user.

20

25

30

It is an object of the present invention to provide a method of providing a display for a graphical user interface in which a user may accurately define a

selected point on a subject image quickly and efficiently.

According to the present invention, such a method is provided comprising the steps of (i) displaying the subject image; (ii) displaying an  
5 enlargement of the subject image in response to a user selecting a point on the subject image and displaying on that enlargement that point selected by the user; and (iii) returning a point previously selected by the user as displayed on an enlargement of the subject image as a first co-ordinate parameter.

Such a method provides a quick and efficient method of selecting a  
10 point on a map and returning that point as a co-ordinate parameter selected by a user. In particular, by displaying a previously selected point on an enlarged display, the user can use this to base a decision on whether the selected point is of the required accuracy or whether reselection is required.

To further increase the speed of selection by providing the additional  
15 step of (iv) displaying a reduction of a previous enlargement of the subject image where steps (iii) and (iv) are done in response to a single user input. Thus, on confirmation of the selected point where that point is returned as a first co-ordinate parameter, the scale of the subject image is reduced simultaneously.

20 On confirmation of the selected point by the user, a reduction of a previous enlargement of the subject image is displayed which may be in the same scale as the original subject image, thereby reducing the number of steps carried out by the user.

In order to enable accurate point selection, the method may further  
25 comprise the step of displaying a further enlargement of a previous enlargement of the subject image in response to a user selecting a point on that previous enlargement, preferably displayed centred about that point selected by the user.

The method may further comprise the step of returning a further point  
30 selected by the user as a second co-ordinate parameter which may be useful, for example, should a subsequent calculation be performed to determine the distance between first and second co-ordinate parameters.

Embodiments of the present invention will now be described, by way of example only, with reference to the accompanying figures in which:

Figures 1 to 5 illustrate methods for providing a display according to the present invention; and

Figure 6 shows, schematically, a computer system capable of implementing the methods illustrated in figures 1 to 5.

Referring to figure 1, a touch sensitive display 11 of conventional type is shown, controlled by a computer (not shown) in a manner according to the present invention. In this example, a image of a geographical map 12 of the southern part of the United Kingdom is displayed on the display and we shall assume that a user wishes to select the location of a particular coastal town 13 on that map. A user does so by touching the touch sensitive display 11 at the required location and in doing so makes a footprint 20 shown in figure 2, the foot print being the area of contact between the finger of the user and the display. A selected point 21 may be defined as the centroid of the footprint.

As illustrated in figure 3 and in accordance with the present invention, a user selecting a point on the display 11 causes the map 12 to be enlarged, centred about the selected point 21. From figure 3 which shows that enlargement including the selected point which is also displayed, the inaccuracy of the users selection is evident and is caused primarily by the large size of the footprint in relation to the scale of the map as shown in figures 1 and 2. In this example, the point identified as selected by the user which is intended to be a coastal town is in fact located out to sea.

Further in accordance with the present invention and as a result of the user selecting a point on the display is the appearance of an "OK" button 30. In the event the selection of the point 21 is considered by the user to be of sufficient accuracy in light of viewing the enlargement, the "OK" button may be touched resulting in the selected point being returned as a co-ordinate parameter which can be used in a subsequent calculation.

In the event that a user considers that the selected point is not sufficiently accurate and elects to select a further point on the enlargement of figure 3, a further enlargement is displayed, as shown in figure 4, including that point 40 further selected by the user.

5        Then, in the event that the user considers that further selected point selected to be sufficiently accurate, the user may confirm their selection by touching the "OK" button. This causes the further selected point 40 being returned as a co-ordinate parameter and the display to return to its initial scale (as shown in figures 1 and 2).

10       Figure 5 illustrates the scenario where an addition point 50 is selected to supplement selected point 40 and a function executed to determined the distance between the two points. In a map context, the distance may not necessarily be a straight line but may take into account permissible travel routes.

15       A computer system 61 capable of implementing the above method is shown schematically in figure 6. The computer system comprises a processor having a central processing unit (CPU) and a random access memory (RAM). The computer system further comprises a display, keyboard, mouse and a floppy disk drive, all coupled to the processor in known manner. A floppy disk  
20       62 is provided for the floppy disk drive having recorded thereon a computer program comprising instructions for performing a method according to the present invention. Alternatively, other types of computer-readable storage media and corresponding hardware may be used.

25       Implementation of a method according to the present invention in such a computer system may be readily accomplished in hardware, in software by appropriate computer programming and configuration or through a combination of both. Of course, such programming and configuration is well known and would be accomplished by one of ordinary skill in the art without undue burden. It would further understood by one of ordinary skill in the art  
30       that the teaching of the present invention applies equally to other types of apparatus having a GUI and not only to the aforementioned computer system.



## CLAIMS

1. A method of providing a display for a graphical user interface in which a user may define a selected point on a subject image, the method comprising the steps of:
- 5 (i) displaying the subject image;
- (ii) displaying an enlargement of the subject image in response to a user selecting a point on the subject image and displaying on that enlargement that point selected by the user; and
- 10 (iii) returning a point previously selected by the user as displayed on an enlargement of the subject image as a first co-ordinate parameter.
2. A method according to claim 1 further comprising the step of (iv) displaying a reduction of a previous enlargement of the subject image, wherein
- 15 steps (iii) and (iv) are done in response to a single user input.
3. A method according to claim 1 or claim 2 further comprising the step of displaying a further enlargement of a previous enlargement of the subject image in response to a user selecting a point on that previous
- 20 enlargement.
4. A method according to any of the preceding claims wherein an enlargement of the subject image displayed in response to a user selecting a point on that subject image is displayed centred about that point selected by
- 25 the user.
5. A method according to any of the preceding claims wherein a reduction of a previous enlargement of the subject image is displayed in the same scale as the subject image prior to enlargement.

6. A method according to any of the preceding claims further comprising the step of returning a further point selected by the user as a second co-ordinate parameter.

5           7. A method according to claim 6 further comprising the step of performing a calculation to determine the distance between the first and second co-ordinate parameters.

10           8. A method of providing a display for a graphical user interface in which a user may define a selected point on a subject image as hereinbefore described with reference to accompanying figures 1 to 6.

15           9. A computer program comprising instructions for performing a method according to any of the preceding claim.

          10. A computer-readable storage medium having recorded thereon data representing instructions for performing a method according to any of claims 1 to 8.

20           11. Apparatus having a display, a processor and a user input device wherein the processor is programmed to perform a method according to any of claims 1 to 8.

## ABSTRACT

**A METHOD OF PROVIDING A DISPLAY FOR  
A GRAPHICAL USER INTERFACE**

5

A method of providing a display (11) for a graphical user interface in which a user may define a selected point (13) of a subject image (12) is disclosed together with a computer program, a computer-readable storage medium (62) and apparatus for the same (61). The method comprising the

10 steps of (i) displaying the subject image (12); (ii) displaying an enlargement of the subject image (12') in response to a user selecting a point (21) on the subject image and displaying on that enlargement that point selected by the user; and (iii) returning a point (40) previously selected by the user as displayed on an enlargement (12'') of the subject image as a first co-ordinate

15 parameter. Additionally, the method may further comprise the step of (iv) displaying a reduction of a previous enlargement of the subject image, wherein steps (iii) and (iv) are done in response to a single user input.

[figure 3]

**This Page Blank (uspto)**

Fig. 1




Fig. 2





Fig. 3



**This Page Blank (uspto)**

Fig. 4




Fig. 5





Fig. 6

This Page Blank (uspto)